


## CABLE TIES G

Ideal for securing tie-on tags, labels and holders to electrical wiring, pipes and conduit. Black ties have a higher UV resistance due to increased Carbon black loading. G series ties offer rapid installation due to the low friction coefficient of the material and have an angled tongue to facilitate easy introduction into the buckle. Rounded corners for increased safety.




CERTIFICATES 

 2011/65/EU

# CABLE TIES G


## *Technical characteristics*

Min operating temperature range	-40 °F
Max operating temperature range	185 °F
Min operating temperature range (surge)	-40 °F
Max operating temperature range (surge)	248 °F
UL94 class	V2
Material	Polyamide PA6.6



# CABLE TIES G

## List of products

G						
						
Type	A	L	Maximum outside diameter	Pack qty	Minimum loop tensile strength	Color
G80X2.4	0.09 in.	3.15 in.	0.59 in.	100	17.6 lbs.	Natural
G80X2.4/M	0.09 in.	3.15 in.	0.59 in.	1,000	17.6 lbs.	Natural
G90X2.4	0.09 in.	3.54 in.	0.63 in.	100	17.6 lbs.	Natural
G100X2.5	0.1 in.	3.94 in.	0.87 in.	100	17.6 lbs.	Natural
G100X2.5/M	0.1 in.	3.94 in.	0.87 in.	1,000	17.6 lbs.	Natural
G120X2.5	0.1 in.	4.72 in.	1.18 in.	100	17.6 lbs.	Natural
G140X2.5	0.1 in.	5.51 in.	1.3 in.	100	17.6 lbs.	Natural
G140X2.5/M	0.1 in.	5.51 in.	1.3 in.	1,000	17.6 lbs.	Natural
G160X2.5	0.1 in.	6.3 in.	1.57 in.	100	17.6 lbs.	Natural
G160X2.5/M	0.1 in.	6.3 in.	1.57 in.	1,000	17.6 lbs.	Natural
G200X2.5	0.1 in.	7.87 in.	2.09 in.	100	17.6 lbs.	Natural
G200X2.5/M	0.1 in.	7.87 in.	2.09 in.	1,000	17.6 lbs.	Natural
G250X2.8	0.11 in.	9.84 in.	2.56 in.	100	30.8 lbs.	Natural
G300X2.8	0.11 in.	11.81 in.	2.99 in.	100	30.8 lbs.	Natural
G120X3.6	0.14 in.	4.72 in.	1.18 in.	100	39.6 lbs.	Natural
G140X3.6	0.14 in.	5.51 in.	1.3 in.	100	39.6 lbs.	Natural
G140X3.6/M	0.14 in.	5.51 in.	1.3 in.	1,000	39.6 lbs.	Natural
G150X3.6	0.14 in.	5.91 in.	1.38 in.	100	39.6 lbs.	Natural
G180X3.6	0.14 in.	7.09 in.	1.73 in.	100	39.6 lbs.	Natural
G200X3.6	0.14 in.	7.87 in.	2.09 in.	100	39.6 lbs.	Natural
G200X3.6/M	0.14 in.	7.87 in.	2.09 in.	1,000	39.6 lbs.	Natural
G250X3.6	0.14 in.	9.84 in.	2.56 in.	100	39.6 lbs.	Natural
G300X3.6	0.14 in.	11.81 in.	2.99 in.	100	39.6 lbs.	Natural
G300X3.6/M	0.14 in.	11.81 in.	2.99 in.	1,000	39.6 lbs.	Natural
G370X3.6	0.14 in.	14.57 in.	4.02 in.	100	39.6 lbs.	Natural
G120X4.8	0.19 in.	4.72 in.	0.94 in.	100	48.4 lbs.	Natural

G160X4.8	0.19 in.	6.3 in.	1.5 in.	100	48.4 lbs.	Natural
G190X4.8	0.19 in.	7.48 in.	1.81 in.	100	48.4 lbs.	Natural
G190X4.8/M	0.19 in.	7.48 in.	1.81 in.	1,000	48.4 lbs.	Natural
G200X4.8	0.19 in.	7.87 in.	1.97 in.	100	48.4 lbs.	Natural
G200X4.8/M	0.19 in.	7.87 in.	1.97 in.	1,000	48.4 lbs.	Natural
G250X4.8/M	0.19 in.	9.84 in.	2.36 in.	1,000	48.4 lbs.	Natural
G250X4.8	0.19 in.	9.84 in.	2.36 in.	100	48.4 lbs.	Natural
G280X4.8	0.19 in.	11.02 in.	2.76 in.	100	48.4 lbs.	Natural
G300X4.8	0.19 in.	11.81 in.	2.99 in.	100	48.4 lbs.	Natural
G370X4.8	0.19 in.	14.57 in.	4.02 in.	100	48.4 lbs.	Natural
G390X4.8	0.19 in.	15.35 in.	4.13 in.	100	48.4 lbs.	Natural
G430X4.8	0.19 in.	16.93 in.	4.33 in.	100	48.4 lbs.	Natural
G450X4.8	0.19 in.	17.72 in.	4.57 in.	100	48.4 lbs.	Natural
G530X4.8	0.19 in.	20.87 in.	5.51 in.	100	48.4 lbs.	Natural
G80X2.4N	0.09 in.	3.15 in.	0.59 in.	100	17.6 lbs.	Black
G80X2.4N/M	0.09 in.	3.15 in.	0.59 in.	1,000	17.6 lbs.	Black
G90X2.4N	0.09 in.	3.54 in.	0.63 in.	100	17.6 lbs.	Black
G100X2.5N	0.1 in.	3.94 in.	0.87 in.	100	17.6 lbs.	Black
G100X2.5N/M	0.1 in.	3.94 in.	0.87 in.	1,000	17.6 lbs.	Black
G120X2.5N	0.1 in.	4.72 in.	1.18 in.	100	17.6 lbs.	Black
G140X2.5N	0.1 in.	5.51 in.	1.3 in.	100	17.6 lbs.	Black
G140X2.5N/M	0.1 in.	5.51 in.	1.3 in.	1,000	17.6 lbs.	Black
G160X2.5N	0.1 in.	6.3 in.	1.57 in.	100	17.6 lbs.	Black
G160X2.5N/M	0.1 in.	6.3 in.	1.57 in.	1,000	17.6 lbs.	Black
G200X2.5N	0.1 in.	7.87 in.	2.09 in.	100	17.6 lbs.	Black
G200X2.5N/M	0.1 in.	7.87 in.	2.09 in.	1,000	17.6 lbs.	Black
G250X2.8N	0.11 in.	9.84 in.	2.56 in.	100	30.8 lbs.	Black
G300X2.8N	0.11 in.	11.81 in.	2.99 in.	100	30.8 lbs.	Black
G120X3.6N	0.14 in.	4.72 in.	1.18 in.	100	39.6 lbs.	Black
G140X3.6N	0.14 in.	5.51 in.	1.3 in.	100	39.6 lbs.	Black
G140X3.6N/M	0.14 in.	5.51 in.	1.3 in.	1,000	39.6 lbs.	Black
G150X3.6N	0.14 in.	5.91 in.	1.38 in.	100	39.6 lbs.	Black
G180X3.6N	0.14 in.	7.09 in.	1.73 in.	100	39.6 lbs.	Black
G200X3.6N	0.14 in.	7.87 in.	2.09 in.	100	39.6 lbs.	Black
G200X3.6N/M	0.14 in.	7.87 in.	2.09 in.	1,000	39.6 lbs.	Black

G250X3.6N	0.14 in.	9.84 in.	2.56 in.	100	39.6 lbs.	Black
G300X3.6N	0.14 in.	11.81 in.	2.99 in.	100	39.6 lbs.	Black
G300X3.6N/M	0.14 in.	11.81 in.	2.99 in.	1,000	39.6 lbs.	Black
G370X3.6N	0.14 in.	14.57 in.	4.02 in.	100	39.6 lbs.	Black
G120X4.8N	0.19 in.	4.72 in.	0.94 in.	100	48.4 lbs.	Black
G160X4.8N	0.19 in.	6.3 in.	1.5 in.	100	48.4 lbs.	Black
G190X4.8N	0.19 in.	7.48 in.	1.81 in.	100	48.4 lbs.	Black
G190X4.8N/M	0.19 in.	7.48 in.	1.81 in.	1,000	48.4 lbs.	Black
G200X4.8N	0.19 in.	7.87 in.	1.97 in.	100	48.4 lbs.	Black
G200X4.8N/M	0.19 in.	7.87 in.	1.97 in.	1,000	48.4 lbs.	Black
G250X4.8N/M	0.19 in.	9.84 in.	2.36 in.	1,000	48.4 lbs.	Black
G250X4.8N	0.19 in.	9.84 in.	2.36 in.	100	48.4 lbs.	Black
G280X4.8N	0.19 in.	11.02 in.	2.76 in.	100	48.4 lbs.	Black
G300X4.8N	0.19 in.	11.81 in.	2.99 in.	100	48.4 lbs.	Black
G370X4.8N	0.19 in.	14.57 in.	4.02 in.	100	48.4 lbs.	Black
G390X4.8N	0.19 in.	15.35 in.	4.13 in.	100	48.4 lbs.	Black
G430X4.8N	0.19 in.	16.93 in.	4.33 in.	100	48.4 lbs.	Black
G450X4.8N	0.19 in.	17.72 in.	4.57 in.	100	48.4 lbs.	Black
G53X4.8N	0.19 in.	20.87 in.	5.51 in.	100	48.4 lbs.	Black
G150X7.6	0.3 in.	5.91 in.	1.3 in.	100	121 lbs.	Natural
G200X7.6	0.3 in.	7.87 in.	1.97 in.	100	121 lbs.	Natural
G250X7.6	0.3 in.	9.84 in.	2.56 in.	100	121 lbs.	Natural
G300X7.6	0.3 in.	11.81 in.	2.99 in.	100	121 lbs.	Natural
G370X7.6	0.3 in.	14.57 in.	4.02 in.	100	121 lbs.	Natural
G430X7.6	0.3 in.	16.93 in.	4.92 in.	100	121 lbs.	Natural
G530X7.6	0.3 in.	20.87 in.	5.51 in.	100	121 lbs.	Natural
G150X7.6N	0.3 in.	5.91 in.	1.3 in.	100	121 lbs.	Black
G200X7.6N	0.3 in.	7.87 in.	1.97 in.	100	121 lbs.	Black
G250X7.6N	0.3 in.	9.84 in.	2.56 in.	100	121 lbs.	Black
G300X7.6N	0.3 in.	11.81 in.	2.99 in.	100	121 lbs.	Black
G370X7.6N	0.3 in.	14.57 in.	4.02 in.	100	121 lbs.	Black
G430X7.6N	0.3 in.	16.93 in.	4.92 in.	100	121 lbs.	Black
G530X7.6N	0.3 in.	20.87 in.	5.51 in.	100	121 lbs.	Black
G430X9.0	0.35 in.	16.93 in.	4.33 in.	100	176 lbs.	Natural
G530X9.0	0.35 in.	20.87 in.	5.51 in.	100	176 lbs.	Natural

G710X9.0	0.35 in.	27.95 in.	7.48 in.	100	176 lbs.	Natural
G780X9.0	0.35 in.	30.71 in.	8.98 in.	100	176 lbs.	Natural
G830X9.0	0.35 in.	32.68 in.	9.41 in.	100	176 lbs.	Natural
G920X9.0	0.35 in.	36.22 in.	10.35 in.	100	176 lbs.	Natural
G1020X9.0	0.35 in.	40.16 in.	11.61 in.	100	176 lbs.	Natural
G1220X9.0	0.35 in.	48.03 in.	14.37 in.	100	176 lbs.	Natural
G430X9.0N	0.35 in.	16.93 in.	4.33 in.	100	176 lbs.	Black
G530X9.0N	0.35 in.	20.87 in.	5.51 in.	100	176 lbs.	Black
G710X9.0N	0.35 in.	27.95 in.	7.48 in.	100	176 lbs.	Black
G780X9.0N	0.35 in.	30.71 in.	8.98 in.	100	176 lbs.	Black
G830X9.0N	0.35 in.	32.68 in.	9.41 in.	100	176 lbs.	Black
G920X9.0N	0.35 in.	36.22 in.	10.35 in.	100	176 lbs.	Black
G1020X9.0N	0.35 in.	40.16 in.	11.61 in.	100	176 lbs.	Black
G1220X9.0N	0.35 in.	48.03 in.	14.37 in.	100	176 lbs.	Black
G230X12.6	0.5 in.	9.06 in.	1.97 in.	100	253 lbs.	Natural
G380X12.6	0.5 in.	14.96 in.	4.17 in.	100	253 lbs.	Natural
G480X12.6	0.5 in.	18.9 in.	4.72 in.	100	253 lbs.	Natural
G580X12.6	0.5 in.	22.83 in.	5.98 in.	100	253 lbs.	Natural
G730X12.6	0.5 in.	28.74 in.	8.03 in.	100	253 lbs.	Natural
G880X12.6	0.5 in.	34.65 in.	9.76 in.	100	253 lbs.	Natural
G1030X12.6	0.5 in.	40.55 in.	11.61 in.	100	253 lbs.	Natural
G230X12.6N	0.5 in.	9.06 in.	1.97 in.	100	253 lbs.	Black
G380X12.6N	0.5 in.	14.96 in.	4.17 in.	100	253 lbs.	Black
G480X12.6N	0.5 in.	18.9 in.	4.72 in.	100	253 lbs.	Black
G580X12.6N	0.5 in.	22.83 in.	5.98 in.	100	253 lbs.	Black
G730X12.6N	0.5 in.	28.74 in.	8.03 in.	100	253 lbs.	Black
G880X12.6N	0.5 in.	34.65 in.	9.76 in.	100	253 lbs.	Black
G1030X12.6N	0.5 in.	40.55 in.	11.61 in.	100	253 lbs.	Black
G530X4.8N	0.19 in.	20.87 in.	5.51 in.	100	48.4 lbs.	Natural

*Used with tie*

Tags

**CABLE AND CONDUIT TAGS MG-ETF - CABLE AND CONDUIT TAGS MG-ETF**

**LAMINATED WRITE-ON TIE-ON TAGS MS-ETF - LAMINATED WRITE-ON TIE-ON TAGS MS-ETF**

**DOG TAGS MG-DOG-HF**

40205-HF	40206-HF	48300-HF
48340-HF		

**MG-DOG.**

48203	48204	48244
48300	48320	48322
48340	48341	48342
48352	48380	48391
48392		

Holders

**TRANSPARENT HOLDERS PM-DT - TRANSPARENT HOLDERS PM-DT**

**TRANSPARENT HOLDERS PMT-CT - 54015**

**TRANSPARENT HOLDERS PMT-ET - 54000**

**TRANSPARENT HOLDERS PM-ET - TRANSPARENT HOLDERS PM-ET**

**TRANSPARENT HOLDERS PMT-DT**

60002	60042
-------	-------

Tags reel

**CABLE AND CONDUIT TAGS ETF-ROLL - CABLE AND CONDUIT TAGS ETF-ROLL**

Pre-printed

**ACCESSORIES FMH - ACCESSORIES FMH**

*Products used together*

Tools

**CABLE TIE TOOL 55230 - 5523036090**